

## Fujitsu Siemens AMILO EL 6800



The AMILO EL is an all-in-one product fitted as standard with a combo drive and 14" TFT display. S-video, IEEE 1394 and 3 USB 2.0 ports provide excellent connectivity possibilities. With fast Intel processor, the AMILO EL offers near Desktop performance at an attractive price.

*www.dooyoo.co.uk :: Computer :: Laptops :: Fujitsu Siemens AMILO EL 6800*

General	
Recommended Use	Home use, small business
System Type	Notebook
Built-in Devices	Microphone, stereo speakers, keyboard, touchpad, display
Width	30.5 cm
Depth	27 cm
Height	3.1 cm
Weight	2.8 kg

Processor	
Processor	Intel Celeron 2 GHz
Data Bus Speed	400 MHz
Chipset Type	SiSM650

Cache Memory	
Type	L2 Cache - Advanced Transfer Cache
Installed Size	128 KB

RAM	
Installed Size	256 MB
Technology	DDR SDRAM - 266 MHz
Memory Specification Compliance	PC2100
Form Factor	SO DIMM 200-pin



## Storage Controller

Type	IDE
------	-----

## Storage

Hard Drive	20 GB
------------	-------

## Optical Storage

Type	CD-RW / DVD-ROM combo - integrated
Read Speed	24x (CD) / 8x (DVD)
Write Speed	24x
CD / DVD Rewrite Speed	10x

## Display

Display Type	14.1" TFT active matrix
Max Resolution	1024 x 768

## Video

Graphics Processor / Vendor	SiS M650 - AGP 4x
Video Memory	Shared Video Memory (UMA)

## Audio

Audio Output	Sound card
Compliant Standards	AC '97, Sound Blaster Pro
Audio Input	Microphone

## Input Device(s)

Type	Keyboard, touchpad, scroll button
------	-----------------------------------

## Telecom

Modem	Fax / modem
Max Transfer Rate	56 Kbps
Protocols & Specifications	ITU V.90

## Networking

Networking	Network adapter
Data Link Protocol	Ethernet, Fast Ethernet



## Expansion / Connectivity

Expansion Slots Total (Free)	1 ( 1 ) x CardBus - type I/II ; 2 ( 1 ) x memory - SO DIMM 200-pin
Interfaces	1 x IEEE 1394 (FireWire) ; 1 x display / video - S-video output ; 3 x Hi-Speed USB - 4 PIN USB Type A ; 1 x display / video - VGA - 15 pin HD D-Sub (HD-15) ; 1 x keyboard / mouse - generic - 6 pin mini-DIN (PS/2 style) ; 1 x modem - phone line - RJ-11 ; 1 x network - Ethernet 10Base-T/100Base-TX - RJ-45 ; 1 x headphones - output - mini-phone stereo 3.5 mm ; 1 x microphone - input - mini-phone mono 3.5 mm

## Miscellaneous

Features	Locking device keyhole (cable lock)
Compliant Standards	ACPI, CE

## Power

Power Device	External
Voltage Required	AC 100/240 V ( 50/60 Hz )
Power Provided	90 Watt

## Battery

Technology	Lithium Ion
Installed Qty	1
Capacity	4 Ah
Run Time (Up To)	2.5 hour(s)

## Operating System / Software

OS Provided	Microsoft Windows XP Home Edition
Software	Drivers & Utilities, NERO 5.0 Burning ROM, CyberLink PowerDVD XP 4.0, Adobe Acrobat Reader 5.0.5, Adobe Photoshop Elements 2.0, Microsoft Works Suite 2003

## Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	35 °C
Humidity Range Operating	10 - 90%